



Energy labels



Supplier's name	VILPE®
Model identifier	ECo 125 FLOW + ECo Ideal + 1 Sensor
SEC (specific energy consumption)	
Cold climate	-41,29 kWh/m ² a
Average climate	-20,32 kWh/m ² a
Warm climate	-8,30 kWh/m ² a
SEC-class (average climate)	D
Declared topology	RVU/UVU
Type of drive	Variable speed 2
Type of heat recovery	N/A
Thermal efficiency of heat recovery	N/A
Maximum flow rate	551 m ³ /h
Electric power input of the fan drive	84.7 W
Sound power level	N/A
Reference flow rate	0,108 m ³ /s
Reference pressure difference	38,7 Pa
SPI	0,071244856 W/(m ³ /h)
Control factor	Central demand control 0,85
Maximum internal leakage rate	N/A
Maximum external leakage rate	N/A
Filter change	N/A
Disassembly instruction	www.vilpe.com



Supplier's name	VILPE®
Model identifier	ECo 125 FLOW + ECo Ideal + 2 Sensor
SEC (specific energy consumption)	
Cold climate	-54,42 kWh/m ² a
Average climate	-27,36 kWh/m ² a
Warm climate	-11,85 kWh/m ² a
SEC-class (average climate)	B
Declared topology	RVU/UVU
Type of drive	Variable speed 2
Type of heat recovery	N/A
Thermal efficiency of heat recovery	N/A
Maximum flow rate	551 m ³ /h
Electric power input of the fan drive	84.7 W
Sound power level	N/A
Reference flow rate	0,108 m ³ /s
Reference pressure difference	38,7 Pa
SPI	0,071244856 W/(m ³ /h)
Control factor	Central demand control 0,65
Maximum internal leakage rate	N/A
Maximum external leakage rate	N/A
Filter change	N/A
Disassembly instruction	www.vilpe.com